

RUP 506

Battery powered cable winch



To mount the device on a tripod, [the Universal tripod holder UTB AT017 300 is necessary.](#)

Battery powered winch equipped with a 5mm diameter, 15m long steel line wound on a drum.

The device is designed for cargo lifting. Working load limit (WLL) for lifting cargo: 140kg

If an additional TU415/TU416 pulley is used, the working load limit when lifting goods (WLL) can be increased to 250kg.

The device can be used to lift, lower and to evacuate personnel when an additional WR / CR / CRW series fall arrest device is used.

Working load limit (WLL) for lifting/lowering personnel: 140kg
Battery power supply.

The kit includes two 18V 4.0Ah batteries and a charger. The battery operating time at full load is ~ 20...25 minutes.

Operating speed: 4m/min (using the TU415/TU416 pulley - 2m/min).

The device is fitted with a connecting plate (RUP506-000-001) as well as a UTB connector (AT017-330).

NOTICE: TO INSTALL WINCH TO THE TRIPOD LEG UTB (Universal Tripod Bracket) (ref. AT017-300) MUST BE USED. UTB SOLD SEPARATELY.

SPECIAL FEATURES



PARAMETERS

Weight	10 kg
Dimensions	288 x 122 x 144 mm
WLL working load limit	140 kg
MBS minimum breaking strength	15 kN
Safety Factor	10,7:1
Working speed	4 m/min
Color	red

MATERIAL

Construction	galvanized steel
Cover	cast iron
Mechanism	steel

MANUFACTURE

Construction	galvanization
Cover	casting

ROPE

Rope diameters ø	5 mm
Length	15 m
Material	galvanized steel
Manufacture	kernmantle rope

POWER SUPPLY

Power supply type	battery
Battery type	18V 4.0Ah
Battery operating time	25 min

CONTROL

Type of control	wired remote control
Length of the steering remote control cable	2 m

PROTEKT

PROTEKT Grzegorz Łaskiewicz Spółka z o. o. Starorudzka Str. 9, 93-403 Łódź, POLEN
KRS: 0001009727 | REGON: 524047958 | NIP: 7292747932


WWW.PROTEKT.PL

HANDELSABTEILUNG 6 Skromna St., 93-405 Łódź, POLEN
Telefon +48 42 29-29-500, export@protekt.com.pl, Fax +48 42 680-20-93

RUP 506

Battery powered cable winch

FIGURES




ADDITIONAL PHOTOS



RUP506 winch installed on a TM15 tripod leg

RUP 506

Battery powered cable winch



RUP506 winch installed on a PAD crane